

DUSK.COM

LIVING | BEDROOM | DINING

Range Name: Melrose Ottoman Bed Double / King

Box Dimensions:


Double bed:

box 1: L151.5 x W131.5x H25. box 2: L197x W33.5x H14 (cm)


King bed:

box 1: L163.5 x W131.5x H25. box 2: L207x W33.5x H14(cm)

Melrose Ottoman Bed Frame Double/King



Up to 2 hour approx
assembly time



Two person
assembly

Important

Assembly Tip

Before you begin, it's best to identify all of the parts and fittings to build your ottoman bed frame. We advise laying these out on the floor to check you have everything, and to familiarise yourself with all of the parts and fittings before building.

Top Tip

We recommend that you build your new ottoman bed frame in the room you'd like it to be located. This will help prevent any risk of damage to the frame whilst moving it.

Safety and Care

It's important to ensure children and animals are kept away from the assembly area, as there are small components used in this bed frame which could present a choking hazard. All plastic and wrapping materials should also be kept away from children and animals to prevent any risk of suffocation.

Help and Support



Please contact our customer service team on 0113 519 0311 if you have any questions or issues with your purchase.

Recycling

Please ensure that packaging is disposed of in a safe and environmentally friendly way, and recycle where possible. Please keep your assembly instructions safe to refer back to in the future.


Operating Your Ottoman Bed Frame Safely

- Caution, this ottoman bed frame uses a pressurised mechanism.
- Please ensure children and animals are kept away from the ottoman bed frame when operating the mechanism.
- Use caution when operating, and always use two hands at arm's length.
- You must always ensure the mattress is on the ottoman bed frame before lifting the mechanism. Failure to do so may result in injury or damage to the mechanism.
- If removing the mattress, make sure the ottoman bed frame is secured as it could flip open.
- Only use the storage compartment when the ottoman bed frame is fully in the upright position.
- Do not remain on the ottoman bed frame whilst the lifting mechanism is in use.
- Beware of entrapment. Keep both hands clear of the mechanism when operating.
- When lifting the ottoman bed frame, remove all bedding except the fitted sheet.
- Always use the strap to lift or lower the ottoman metal frame. Close the ottoman metal frame by pushing down firmly with both hands towards the centre of the bed frame with equal pressure.
- No children or animals should be left unattended when the ottoman bed frame is in the upright position.
- When fully assembled, raise and lower the ottoman metal frame 4/5 times to ensure the gas pistons are fully lubricated.
- Ensure to re-tighten all nuts and bolts within the ottoman bed frame after the first two weeks of use.



Parts

Before you begin building your ottoman bed frame, please take a moment to read through the instructions and make sure that you have all the relevant parts listed on the parts check list.



PART CHECK LIST

NO.	Part list	QTY	Box No
1	Headboard	1pc	Box 1
2	Footboard	1pc	Box 1
3L	Side Rail-LH	1pc	Box 2
3R	Side Rail-RH	1pc	Box 2
4L	Lift Mechanism - LH	1pc	Box 1
4R	Lift Mechanism - RH	1pc	Box 1
5	U Shape Support Rail	1pc	Box 1
6	Gas Strut	2pcs	Box 1
7L	Ottoman Metal Frame-LH	1pc	Box 1
7R	Ottoman Metal Frame-RH	1pc	Box 1
8	Horizontal Support Rail	2pcs	Box 1
9	Strap	1pc	Box 1












NO.	Part list	QTY	Box No
10	Slat Double/King	26/30pcs	Box 1
11	Angle Corner Bracket	4pcs	Box 1
12	Side Slat Cap Double/King	26/30pcs	Box 1
13	Centre Slat Cap Double/King	13/15pcs	Box 1
14	Mattress Positioning Handle	2pcs	Box 1
15	Fabric Base	1pc	Box 1
16	Side Ottoman Metal Frame	2pcs	Box 2
17	Legs	4 pcs	Box 1
18	Lift Mechanism Support Rail	2 pcs	Box 1
19	Holding Block	4 pcs	Box 1
20	Plastic Corner Bracket	4 pcs	Box 1
21	Central Support Rail	1pcs	Box 2

Pre-assembled Parts Check List




22	Angle Iron Bracket -LH	2pcs	Box 2
23	Angle Iron Bracket -RH	2pcs	Box 2

Fittings

Please check you have all the fittings listed below with your product (in box 2).

 A M8x40mm Bolt 16pcs	 B M6x80mm Bolt 8pcs	 C M8x60mm Bolt 8pcs	 D M6x30mm Bolt 4pcs	 E Flat Washer 12pcs	 F Spring Washer 12pcs
 H M8 Nut 4pcs	 I M5 Allen Key 1pc	 J M4 Allen Key 1pc	 K Spanner 1pc	 L M6x20mm Bolt 18pcs	

Pre-assembled Fittings


 A M8x40mm Bolt 12pcs	 E Flat Washer 12pcs	 F Spring Washer 12pcs
---	--	--



NB: there are additional spare Fittings included within the Fitting pack

Note: The frame can be lifted from either left or right side, please choose the side you desire when assembling the bed.



Step 1: Attaching the Lift Mechanisms to the Headboard & Footboard

⊙ 8pcs
① 1pc






Step 3: Attaching the Left & Right Side Rails to the Headboard & Footboard, attaching the holding blocks to the side rails.





1%%HIRUHWLJKWHLQJWKHEROWVSOHDVHHQVXUHWKHEHGIUDPHLVVTXDUH

Step 4 : Attaching the Central Support Rail & Angle Corner Brackets

- Ⓐ 4pcs
- Ⓘ 8pcs
- Ⓛ 1pc
- Ⓜ 1pc



Step 5 : Attaching the Fabric Base & Legs




Fit the fabric base along the velcro on the base of bed frame. Make sure the side of the fabric base with 2 holes is attached to the footboard and attach the legs through the 2 holes to the footboard.

Step 6: Attaching the Ottoman Metal Frames to the Side Ottoman Metal Frame, connect the Central Support Rail to the Ottoman Metal Frames



Attaching the Corner Brackets (20) to the Left and Right Ottoman Metal Frames (7L and 7R), then connect to the Side Ottoman Metal Frames (16). Attaching the Central Support Rail (21) to the Ottoman Metal Frames.




Step 7: Attach the horizontal support rails (8) to the ottoman metal frames and use bolts to connect the ottoman metal frames to each lift mechanism.

⑩ 4pcs

⑪ 1pc

⑫ 6pcs



Insert both Mattress Positioning Handles (14).
Note: For left open frame, please use different side to this illustration.

Step 8: Attaching the Slat Caps to the Ottoman Bed Frame




12 Side Slat Caps Double/King 26/30pcs



13 Centre Slat Caps Double/King 13/15pcs

Push down firmly on the Slat Caps into the pre-drilled holes on the Ottoman Metal Frame. It is recommended to push the Centre Slat Caps into position before pushing down on the Side Slat Caps.



Step 9: Attaching the Gas Struts to Lift Mechanisms

Ⓜ 4pcs


Ⓚ 1pc

9 1pc

Attach the Strap (9) to
the Side Ottoman
Metal Frame



Note: Please twist the tip of piston to a correct position if unable to connect to the bolt.



Note: if you are having issues with closing your bed frame and the gas struts
10 please seek advice on the last page.

Page

Care and Maintenance

Here are some good tips to keep your new ottoman bed frame in tip-top condition.

Cleaning

To clean your new ottoman bed frame, we advise using a damp cloth if the fabric is dusty or a low suction vacuum. Do not use abrasive chemicals or bleach as this may damage the product.

Checking and moving

Periodically, we recommend you check that the screws and fixtures haven't become loose over time. To move your bed frame, we recommend lifting it where possible, as dragging or pushing it could cause damage to the legs or flooring.

Fabric

Please note, depending on the lighting, positioning and surroundings of your room, the shade of the fabric will appear differently. Over a period of time, the fabric may also lighten or fade slightly due to light exposure.


Gas strut/piston best use:

- Use caution when operating - always use two hands.
- Only attempt to close the ottoman frame, once the mattress has been placed on the frame.
- The thicker side of the cylinder should be above the thinner side - this will increase longevity of the part.
- Only attempt to close the frame with two hands from the footboard side, slowly increasing the pressure until the frame starts moving downwards.
- Closing the frame for the first time may be difficult, as the cylinder needs cycling and lubricating. After closing for the first time, open and close a further 5 times.
- If the frame is stuck open and unable to be closed, we recommend getting assistance from a second person, both applying equal pressure from each side of the footboard until the frame closes, this may require more force than expected. Stop applying pressure if the metal frame begins to warp – contact customer services at this point.


Top tips:

- Do not attempt to close the gas strut/piston by hand, it can only be compressed once added to the frame
- Ensure the frame can move freely before adding the gas struts/pistons
- Check the frame is fully square, being offset can cause the frame to catch on the side rail

Melrose Ottoman Bed Frame Super King



Up to 2 hour approx
assembly time



Two person
assembly

Important

Assembly Tip

Before you begin, it's best to identify all of the parts and fittings to build your ottoman bed frame. We advise laying these out on the floor to check you have everything, and to familiarise yourself with all of the parts and fittings before building.

Top Tip

We recommend that you build your new ottoman bed frame in the room you'd like it to be located. This will help prevent any risk of damage to the frame whilst moving it.

Safety and Care

It's important to ensure children and animals are kept away from the assembly area, as there are small components used in this bed frame which could present a choking hazard. All plastic and wrapping materials should also be kept away from children and animals to prevent any risk of suffocation.

Help and Support



Please contact our customer service team on 0113 519 0311 if you have any questions or issues with your purchase.

Recycling

Please ensure that packaging is disposed of in a safe and environmentally friendly way, and recycle where possible. Please keep your assembly instructions safe to refer back to in the future.


Operating Your Ottoman Bed Frame Safely

- Caution, this ottoman bed frame uses a pressurised mechanism.
- Please ensure children and animals are kept away from the ottoman bed frame when operating the mechanism.
- Use caution when operating, and always use two hands at arm's length.
- You must always ensure the mattress is on the ottoman bed frame before lifting the mechanism. Failure to do so may result in injury or damage to the mechanism.
- If removing the mattress, make sure the ottoman bed frame is secured as it could flip open.
- Only use the storage compartment when the ottoman bed frame is fully in the upright position.
- Do not remain on the ottoman bed frame whilst the lifting mechanism is in use.
- Beware of entrapment. Keep both hands clear of the mechanism when operating.
- When lifting the ottoman bed frame, remove all bedding except the fitted sheet.
- Always use the strap to lift or lower the ottoman metal frame. Close the ottoman metal frame by pushing down firmly with both hands towards the centre of the bed frame with equal pressure.
- No children or animals should be left unattended when the ottoman bed frame is in the upright position.
- When fully assembled, raise and lower the ottoman metal frame 4/5 times to ensure the gas pistons are fully lubricated.
- Ensure to re-tighten all nuts and bolts within the ottoman bed frame after the first two weeks of use.



Parts

Before you begin building your ottoman bed frame, please take a moment to read through the instructions and make sure that you have all the relevant parts listed on the parts check list.



PART CHECK LIST

NO.	Part list	QTY	Box No
1	Headboard	1pc	Box 1
2	Footboard	1pc	Box 1
3L	Side Rail-LH	1pc	Box 2
3R	Side Rail-RH	1pc	Box 2
4L	Lift Mechanism - LH	1pc	Box 1
4R	Lift Mechanism - RH	1pc	Box 1
5	U Shape Support Rail	1pc	Box 1
6	Gas Strut	2pcs	Box 1
7L	Ottoman Metal Frame-LH	1pc	Box 1
7R	Ottoman Metal Frame-RH	1pc	Box 1
8	Horizontal Support Rail	2pcs	Box 1
9	Strap	1pc	Box 1












NO.	Part list	QTY	Box No
10	Slat	45pcs	Box 1
11	Angle Corner Bracket	4pcs	Box 1
12	Side Slat Cap	30 pcs	Box 1
13	Centre Slat Cap	30 pcs	Box 1
14	Mattress Positioning Handle	2pcs	Box 1
15	Fabric Base	1pc	Box 1
16	Side Ottoman Metal Frame	2pcs	Box 2
17	Legs	4 pcs	Box 1
18	Lift Mechanism Support Rail	2 pcs	Box 1
19	Holding Block	4 pcs	Box 1
20	Plastic Corner Bracket	4 pcs	Box 1
21	Central Support Rail	2pcs	Box 2

Pre-assembled Parts Check List




22	Angle Iron Bracket -LH	2pcs	Box 2
23	Angle Iron Bracket -RH	2pcs	Box 2

Fittings

Please check you have all the fittings listed below with your product (in box 2).

 A M8x40mm Bolt 16pcs	 B M6x80mm Bolt 8pcs	 C M8x60mm Bolt 8pcs	 D M6x30mm Bolt 4pcs	 E Flat Washer 12pcs	 F Spring Washer 12pcs
 H M8 Nut 4pcs	 I M5 Allen Key 1pc	 J M4 Allen Key 1pc	 K Spanner 1pc	 L M6x20mm Bolt 22pcs	

Pre-assembled Fittings





 A M8x40mm Bolt 12pcs	 E Flat Washer 12pcs	 F Spring Washer 12pcs
---	--	--

NB: there are additional spare Fittings included within the Fitting pack



Note: The frame can be lifted from either left or right side, please choose the side you desire when assembling the bed .

Step 1: Attaching the Lift Mechanisms to the Headboard & Footboard



⊙ 8pcs
① 1pc



1a: lift up from the right side




Step 3: Attaching the Left & Right Side Rails to the Headboard & Footboard, attaching the holding blocks to the side rails.





1%%HIRUHWLJKWHLQJWKHEROWVSOHDVHHQVXUHWKHEHGIUDPHLVVTXDUH

Step 4 : Attaching the Central Support Rail & Angle Corner Brackets

- Ⓐ 4pcs
- Ⓛ 8pcs
- Ⓜ 1pc
- Ⓟ 1pc



Step 5 : Attaching the Fabric Base & Legs








Fit the fabric base along the velcro on the base of bed frame. Make sure the side of the fabric base with 2 holes is attached to the footboard and attach the legs through the 2 holes to the footboard.

Step 6: Attaching the Ottoman Metal Frames to the Side Ottoman Metal Frame, connect the Central Support Rail to the Ottoman Metal Frames.



Attaching the Corner Brackets (20) to the Left and Right Ottoman Metal Frames (7L and 7R), then connect to the Side Ottoman Metal Frames (16). Attaching the Central Support Rail (21) to the Ottoman Metal Frames.




Step 7: Attach the horizontal support rails (8) to the ottoman metal frames and the use bolts to connect the ottoman metal frames to each lift mechanism.

⑩ 4pcs


⑪ 1pc

⑬ 6pcs




Step 8:

Attaching the Slat Caps to the Ottoman Bed Frame




Side Slat Caps Double/King 30 pcs



Centre Slat Caps Double/King 30 pcs

Push down firmly on the Slat Caps into the pre-drilled holes on the Ottoman Metal Frame. It is recommended to push the Centre Slat Caps into position before pushing down on the Side Slat Caps.



Step 9: Attaching the Gas Struts to Lift Mechanisms

Ⓜ 4pcs


Ⓚ 1pc

9 1pc

Attach the Strap (9) to the Center Ottoman Metal Frame, at the Footboard end.



Note: Please twist the tip of piston to a correct position if unable to connect to the bolt.



Note: if you are having issues with closing your bed frame and the gas struts
please seek advice on the last page.

Care and Maintenance

Here are some good tips to keep your new ottoman bed frame in tip-top condition.

Cleaning

To clean your new ottoman bed frame, we advise using a damp cloth if the fabric is dusty or a low suction vacuum. Do not use abrasive chemicals or bleach as this may damage the product.

Checking and moving

Periodically, we recommend you check that the screws and fixtures haven't become loose over time. To move your bed frame, we recommend lifting it where possible, as dragging or pushing it could cause damage to the legs or flooring.

Fabric

Please note, depending on the lighting, positioning and surroundings of your room, the shade of the fabric will appear differently. Over a period of time, the fabric may also lighten or fade slightly due to light exposure.

Gas strut/piston best use:

- Use caution when operating - always use two hands.
- Only attempt to close the ottoman frame, once the mattress has been placed on the frame.
- The thicker side of the cylinder should be above the thinner side - this will increase longevity of the part.
- Only attempt to close the frame with two hands from the footboard side, slowly increasing the pressure until the frame starts moving downwards.
- Closing the frame for the first time may be difficult, as the cylinder needs cycling and lubricating. After closing for the first time, open and close a further 5 times.
- If the frame is stuck open and unable to be closed, we recommend getting assistance from a second person, both applying equal pressure from each side of the footboard until the frame closes, this may require more force than expected. Stop applying pressure if the metal frame begins to warp – contact customer services at this point.

Top tips:

- Do not attempt to close the gas strut/piston by hand, it can only be compressed once added to the frame
- Ensure the frame can move freely before adding the gas struts/pistons
- Check the frame is fully square, being offset can cause the frame to catch on the side rail

